

# TOYOTA PROACE CITY VERSO

## Quick Links



BODY	GRADE	ENGINE	Gearbox	PRICE (EUR+VAT) euro
Compact Double side door	Shuttle	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>24 600</b>
Compact Double side door	Shuttle	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>26 550</b>
Compact Double side door	Shuttle	1.5 D-4D A/T (FWD) (96 kW)	8 Automatic	<b>29 000</b>
Compact Double side door	Shuttle	0 Electric 50kWh EV (FWD) (100 kW)	Automatic	<b>41 950</b>
Compact Double side door	Shuttle N1	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>25 650</b>
Compact Double side door	Family	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>28 500</b>
Compact Double side door	Family	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>30 450</b>
Compact Double side door	Family	1.5 D-4D A/T (FWD) (96 kW)	8 Automatic	<b>32 900</b>
Compact Double side door	Family	0 Electric 50kWh EV (FWD) (100 kW)	Automatic	<b>44 850</b>
Compact Double side door	Shuttle Light	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>23 700</b>
Compact Double side door	Shuttle Light	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>25 700</b>
Long Double side door	Shuttle	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>25 450</b>
Long Double side door	Shuttle	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>27 450</b>
Long Double side door	Shuttle	1.5 D-4D A/T (FWD) (96 kW)	8 Automatic	<b>29 900</b>

# TOYOTA PROACE CITY VERSO

## Quick Links



BODY	GRADE	ENGINE	Gearbox	PRICE (EUR+VAT) euro
Long Double side door	Shuttle	0 Electric 50kWh EV (FWD) (100 kW)	Automatic	<b>43 650</b>
Long Double side door	Family	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>30 400</b>
Long Double side door	Family	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>32 400</b>
Long Double side door	Family	1.5 D-4D A/T (FWD) (96 kW)	8 Automatic	<b>34 800</b>
Long Double side door	Family	0 Electric 50kWh EV (FWD) (100 kW)	Automatic	<b>45 500</b>
Long Double side door	Shuttle Light	1.2 Turbo M/T (FWD) (81 kW)	6 Manual	<b>24 600</b>
Long Double side door	Shuttle Light	1.5 D-4D M/T (FWD) (75 kW)	Manual	<b>26 550</b>

# TOYOTA PROACE CITY VERSO



## Technical Specification

<b>ENGINE &amp; GEARBOX</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Tippkiirus (km/h)	177	172	184	135	177	172
<b>EXTERIOR DIMENSIONS</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Laius (mm)	1848	1848	1848	1848	1848	1848
Teljevahe (mm)	2785	2785	2785	2785	2975	2975
<b>KESKKONNAANDMED</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Kütusekulu – kombineeritud min. WLTP (l/100 km)	6.4	5.3	5.5	0	6.5	5.4
CO <sub>2</sub> – kombineeritud min. WLTP (g/km)	144	140	145	0	147	143
Müratase sõidu ajal (dB(A))	69.0	68.0	69.0	66.0	69.0	68.0
Müratase seistes (dB(A))	76.0	74.0	74.0	-	76.0	74.0
Kütusekulu – kombineeritud WLTP (kg/100 km)	6.4	5.3	5.5	0	6.5	5.4
Kütusekulu maks. – kombineeritud WLTP (kg/100 km)	7.4	6.1	6.5	0	7.4	6.1
Sõiduulatus (km)	330	330	330	330	330	330

Sõiduulatus ainult elektri jõul – kombineeritud maks. WLTP (km)	-	-	-	339	-	-
Sõiduulatus ainult elektri jõul – kombineeritud min. WLTP (km)	-	-	-	289	-	-

# TOYOTA PROACE CITY VERSO

## Technical Specification



KESKKONNAANDMED	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Elektritarve min. (kWh/100 km)	-	-	-	18.3	-	-
Elektritarve maks. (kWh/100 km)	-	-	-	21.7	-	-
Elektritarve (Wh/km)	-	-	-	183	-	-
Elektritarve maks. (Wh/km)	-	-	-	217	-	-
ENGINE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Silindrite arv	3 CYLINDER, IN LINE	4 rindā	4 rindā	-	3 CYLINDER, IN LINE	4 rindā
Kütuse sissepritse süsteem	Degvielas iesmidzināšana	Augsta spiediena tiešās degvielas iesmidzināšanas turbo dīzelis	Augsta spiediena tiešās degvielas iesmidzināšanas turbo dīzelis	-	Degvielas iesmidzināšana	Augsta spiediena tiešās degvielas iesmidzināšanas turbo dīzelis
Töömaht (cm <sup>3</sup> )	1199	1499	1499	-	1199	1499
Suurim pöördemoment (nm/p/min)	205/1750-	250/1750-	300/1750-	/-	205/1750-	250/1750-
Sisepõlemismootori suurim võimsus (DIN hj)	110	100	130	136	110	100
Sisepõlemismootori suurim võimsus (kW/p/min)	81/5500	75/3750	96/3750	100/	81/5500	75/3750
Hübriidsõiduki aku: mahutavus A·h (tundi)	147	147	147	147	147	147

Elektrimootor, ees: suurim võimsus (kW)	100	100	100	100	100	100
---	-----	-----	-----	-----	-----	-----

# TOYOTA PROACE CITY VERSO

## Technical Specification



ENGINE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Elektrimootor, ees: suurim pöördemoment (nm)	270	270	270	270	270	270
Elektrimootor, ees: suurim pinge (v)	418	418	418	418	418	418
Aku mahtuvus (A·h)	147	147	147	147	147	147
Aku laadimise aeg (tundi)	-	-	-	0.5	-	-
Aku mahutavus (kWh)	-	-	-	50	-	-
Vahelduvvooluga laadimise aeg 0–100% (tundi)	-	-	-	0.5	-	-
Maximum power (hp)	110	100	130	136	110	100
Maximum power (kW/p/min)	81	75	96	100	81	75
JÕUÜLEKANNE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Ülekande tüüp	Manual	Manual	Automātiskā pārnesumkārba	Automātiskā pārnesumkārba	Manual	Manual
Veoskeem	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)
VEDRUSTUS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Esivedrustus	Pseido McPherson	Pseido McPherson	Pseido McPherson	Pseido McPherson	Pseido McPherson	Pseido McPherson

# TOYOTA PROACE CITY VERSO

## Technical Specification



VEDRUSTUS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Tagavedrustus	Deformējama šķērssija	Deformējama šķērssija	Deformējama šķērssija	Deformējama šķērssija	Deformējama šķērssija	Deformējama šķērssija
PIDURID	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Pidurid, ees	Disks	Disks	Disks	Disks	Disks	Disks
Pidurid, taga	Ventilējams disks	Ventilējams disks	Ventilējams disks	Ventilējams disks	Ventilējams disks	Ventilējams disks
REHVID JA VELJED	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Madalaim kütusesäästlikkuse klass	A	A	A	A	A	A
Madalaim mārghardumise klass	B	B	B	B	B	B
Madalaim veeremismūra tase (dB)	72	72	72	72	72	72
WEIGHTS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D M/T (FWD) (75 KW)
Tāismass, kokku (kg)	2050	2120	2100	2360	2240	2310
Tūhimass (kg)	1366-1366	1430-1430	1471-1471	1736-1755	1430-1495	1521-1540



Piduritega järelhaagise suurim lubatud mass (kg)	1150	1300	1300	750	950	1100
--	------	------	------	-----	-----	------

# TOYOTA PROACE CITY VERSO

## Technical Specification



<b>WEIGHTS</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	720	750	750	750	750	750
<b>KANDEVÕIME</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Kaubaruumi maht (m <sup>3</sup> )	0.775	0.775	0.775	0.775	0.209	0.209
<b>SISEMÕÖTMED</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Istmete arv	5	5	5	5	5	5
<b>DIMENSIONS</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>	<b>1.5 D- 4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>	<b>1.2 TURBO M/T (FWD) (81 KW)</b>	<b>1.5 D- 4D M/T (FWD) (75 KW)</b>
Pikkus (mm)	4401	4401	4401	4401	4751	4751
Kõrgus (mm)	1812	1812	1812	1812	1818	1818
Uste arv	4	4	4	4	4	4

# TOYOTA PROACE CITY VERSO

## Technical Specification




ENGINE & GEARBOX	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Tippkiirus (km/h)	184	135
EXTERIOR DIMENSIONS	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Laius (mm)	1848	1848
Teljevahe (mm)	2975	2975
KESKKONNAANDMED	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Kütusekulu - kombineeritud min. WLTP (l/100 km)	5.6	0
CO <sub>2</sub> - kombineeritud min. WLTP (g/km)	148	0
Müratase sõidu ajal (dB(A))	69.0	66.0
Müratase seistes (dB(A))	74.0	-
Kütusekulu - kombineeritud WLTP (kg/100 km)	5.6	0
Kütusekulu maks. - kombineeritud WLTP (kg/100 km)	6.5	0
Sõiduulatus (km)	330	330

Sõiduulatus ainult elektri jõul – kombineeritud maks. WLTP (km)	-	331
Sõiduulatus ainult elektri jõul – kombineeritud min. WLTP (km)	-	289

# TOYOTA PROACE CITY VERSO

## Technical Specification



KESKKONNAANDMED	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Elektritarve min. (kWh/100 km)	-	18.9
Elektritarve maks. (kWh/100 km)	-	21.7
Elektritarve (Wh/km)	-	189
Elektritarve maks. (Wh/km)	-	217
ENGINE	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Silindrite arv	4 rindā	-
Kütuse sissepritse süsteem	Augsta spiediena tiešās degvielas iesmidzināšanas turbo dīzelis	-
Töömaht (cm <sup>3</sup> )	1499	-
Suurim pöördemoment (nm/p/min)	300/1750-	/-
Sisepõlemismootori suurim võimsus (DIN hj)	130	136
Sisepõlemismootori suurim võimsus (kW/p/min)	96/3750	100/
Hübriidsõiduki aku: mahutavus A·h (tundi)	147	147



# TOYOTA PROACE CITY VERSO

## Technical Specification



ENGINE	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Elektrimootor, ees: suurim pöördemoment (nm)	270	270
Elektrimootor, ees: suurim pinge (v)	418	418
Aku mahtuvus (A-h)	147	147
Aku laadimise aeg (tundi)	-	0.5
Aku mahutavus (kWh)	-	50
Vahelduvvooluga laadimise aeg 0-100% (tundi)	-	0.5
Maximum power (hp)	130	136
Maximum power (kW/p/min)	96	100
JÕUÜLEKANNE	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Ülekande tüüp	Automatiskā pārnesumkārba	Automatiskā pārnesumkārba
Veoskeem	Priekšējo riteņu piedziņa (FWD)	Priekšējo riteņu piedziņa (FWD)
VEDRUSTUS	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Esivedrustus	Pseido McPherson	Pseido McPherson

# TOYOTA PROACE CITY VERSO

## Technical Specification



<b>VEDRUSTUS</b>	<b>1.5 D-4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>
Tagavedrustus	Deformējama šķērssija	Deformējama šķērssija
<b>PIDURID</b>	<b>1.5 D-4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>
Pidurid, ees	Disks	Disks
Pidurid, taga	Ventilējams disks	Ventilējams disks
<b>REHVID JA VELJED</b>	<b>1.5 D-4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>
Madalaim kütusesäästlikkuse klass	A	A
Madalaim mārghaardumise klass	B	B
Madalaim veeremismūra tase (dB)	72	72
<b>WEIGHTS</b>	<b>1.5 D-4D A/T (FWD) (96 KW)</b>	<b>0 ELECTRIC 50KWH EV (FWD) (100 KW)</b>
Täismass, kokku (kg)	2300	2440
Tühimass (kg)	1535-1575	1847-1847





# TOYOTA PROACE CITY VERSO

## Technical Specification



<b>WEIGHTS</b>	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	750	0
<b>KANDEVÕIME</b>	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Kaubaruumi maht (m³)	0.209	0.209
<b>SISEMÕÖTMED</b>	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Istmete arv	5	7
<b>DIMENSIONS</b>	1.5 D-4D A/T (FWD) (96 KW)	0 ELECTRIC 50KWH EV (FWD) (100 KW)
Pikkus (mm)	4751	4751
Kõrgus (mm)	1818	1818
Uste arv	4	4

# TOYOTA PROACE CITY

## VERSO

### Grades



FACTORY OPTIONS		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
7 seater	7S	960 €	-	-	-
Webasto with remote	WE	1660 €	-	1660 €	-
Multimedia pack	MU	-	870 €	-	-
Travel pack	TR	-	-	1500 €	-
COLORS		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Icy White	EPR	0 €	0 €	0 €	0 €
Metallic Silver	KCA	650 €	650 €	650 €	650 €
Metallic black	KTV	650 €	650 €	650 €	650 €
Libeccio Blue	KJW	650 €	650 €	650 €	650 €
Backpacker Khaki	KNQ	650 €	650 €	650 €	650 €
INTERIOR		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Grey fabric seats (F7FY)	F7FY	●	●	●	●
EXTERIOR		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Double side door		●	●	●	●
Rear tailgate		-	-	●	-
Body colour front and rear bumpers		●	-	●	-
Black door mirrors		●	●	●	●
Electrically adjustable door mirrors with heating		●	●	●	●
Front fog lamps		-	-	●	-
Tyre repair kit		●	●	●	●

# TOYOTA PROACE CITY VERSO

## Grades



EXTERIOR		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Rear wing doors		●	●	-	●
Black front and rear bumpers		-	●	-	●
EcoLED headlamps		●	●	-	●
Bi-LED headlamps		-	-	●	-
Front fog lamps (Only BEV)		○	-	-	-
Opening window on rear tailgate (Not available on long BEV)		-	-	○	-
Privacy glass (Not available on long BEV)		-	-	○	-
Electrically foldable door mirrors (Not available on long BEV)		-	-	○	-
Roof rails (Not available on long BEV)		-	-	○	-
16" black wheels with wheel caps (205/60 R16)		●	●	-	●
16" black wheels with wheel caps (205/60 R16) (Only long BEV)		-	-	○	-
16" alloy wheels (205/60 R16) (Not available on long BEV)		-	-	○	-
INTERIOR		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Textile floor mats		●	●	●	●
Front power windows		●	●	-	●
Row 2 tiltable windows		●	●	-	●
Row 3 fixed windows		●	●	●	●
4 lashing hooks in trunk area		●	●	●	●
Urethane steering wheel		●	●	-	●
Roll tonneau cover (Only long)		●	-	●	●

# TOYOTA PROACE CITY

## VERSO

### Grades



INTERIOR		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Hard tonneau cover (Only Compact)		●	●	●	●
Grille bulkhead behind second row seats		-	●	-	-
Console between front seats		-	-	●	-
Electronic parking brake		●	●	●	●
Leather steering wheel		-	-	●	-
Heated steering wheel		-	-	●	-
Front power windows (Only long BEV)		-	-	○	-
Front power windows with one touch (Not available on long BEV)		-	-	○	-
Row 2 tiltable windows (Only long BEV)		-	-	○	-
Row 2 power windows with one touch (Not available on long BEV)		-	-	○	-
SEATS		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
5 seater		●	●	●	●
Fabric seats		●	●	●	●
Second row bench seats (60/40 fold)		●	●	-	●
Heated seats		●	-	●	●
Height adjustable driver seat		●	●	●	●
Driver seat lumbar support		●	●	●	●
Driver seat arm rest		●	●	●	●
Second row individual seats		-	-	●	-
Folding front passenger seat		-	-	●	-

# TOYOTA PROACE CITY VERSO

## Grades



SEATS		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Flight tables at back of front seats		-	-	●	-
7 seater (only Long)		-	-	●	-
7 seater (Only long BEV)		○	-	-	-
COMFORT		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Manual air conditioning		●	●	-	●
Rear parking sensors		●	●	●	●
Dusk sensor		●	●	●	●
Cruise Control		●	●	●	●
Automatic air conditioning		-	-	●	-
Front parking sensors		-	-	●	-
Rear-view camera		-	-	●	-
Rain sensor		-	-	●	-
Automatic air conditioning (Only BEV)		○	-	-	-
Heat pump (Only BEV)		○	-	○	-
Rain sensor (Only BEV)		○	-	-	-
MULTIMEDIA & INFORMATION		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
6 speakers		●	●	●	●
Bluetooth		●	●	●	●
USB connector		●	●	●	●
Radio with 5" touch screen		-	●	-	●

# TOYOTA PROACE CITY VERSO

## Grades



<b>MULTIMEDIA &amp; INFORMATION</b>		<b>SHUTTLE</b>	<b>SHUTTLE N1</b>	<b>FAMILY</b>	<b>SHUTTLE LIGHT</b>
Pro Touch multimedia system with 10" display		●	-	-	-
Wireless mobile Integration (Apple CarPlay & Android Auto)		●	-	●	-
Pro Touch HD multimedia system with 10" display		-	-	●	-
10" colour TFT Multi-information Display		-	-	●	-
<b>STORAGE COMPARTMENTS</b>		<b>SHUTTLE</b>	<b>SHUTTLE N1</b>	<b>FAMILY</b>	<b>SHUTTLE LIGHT</b>
Driver and passenger overhead storage		●	●	●	●
Open lower glovebox		-	●	-	●
Closed passenger lower glovebox		●	-	●	-
<b>SAFETY</b>		<b>SHUTTLE</b>	<b>SHUTTLE N1</b>	<b>FAMILY</b>	<b>SHUTTLE LIGHT</b>
Child safety door lock		●	●	-	●
Hill Assist Control (HAC)		●	●	●	●
Electronic Stability Control (ESC)		●	●	●	●
Tyre Pressure Warning System (TPWS)		●	●	●	●
2 Front airbags		●	●	●	●
Front Side airbags		●	●	●	●
Curtain airbags for first and second row seats		●	●	●	●
Row 2 ISOFIX on 3 seats		●	●	●	●
Power child safety door lock		-	-	●	-
<b>TOYOTA SAFETY SENSE:</b>		<b>SHUTTLE</b>	<b>SHUTTLE N1</b>	<b>FAMILY</b>	<b>SHUTTLE LIGHT</b>
Pre-Collision System (PCS)		●	●	●	●

# TOYOTA PROACE CITY VERSO

## Grades



TOYOTA SAFETY SENSE:		SHUTTLE	SHUTTLE N1	FAMILY	SHUTTLE LIGHT
Road Sign Assist (RSA)		●	●	●	●
Lane Departure Alert (LDA)		●	●	●	●
Driver Attention Alert		●	●	●	●
Automatic High Beam (AHB)		●	●	●	●

- - Standard
- - Optional
- ◐ - Halfstandart



\*Kampaņa beidzas 31.12.2022. Ieteicamās mazumtirdzniecības cenas. Cenrādī esošajai informācijai ir informatīvs raksturs un Toyota Baltic AS patur tiesības mainīt tā saturu bez iepriekšēja paziņojuma. Informācija par konkrētā modeļa pamat- un papildaprīkojumu, kā arī iespēju to pasūtīt ir pieejama oficiālajās Toyota pārstāvniecībās. Konkrēta pārdošanas piedāvājuma saņemšanai vērsieties oficiālā Toyota pārstāvniecībā. Šis cenrādis ir spēkā jaunajiem automobiļa pirkuma līgumiem, kas noslēgti šī cenrāža spēkā esamības laikā par automobili, kas ir piegādāts un reģistrēts 6 mēnešu laikā no pirkuma līguma noslēgšanas dienas. Toyota Baltic AS patur tiesības paaugstināt to automobiļu ieteicamās mazumtirdzniecības cenas, kas tiks reģistrēti vēlāk nekā 6 mēnešus no automobiļa pirkuma līguma noslēgšanas dienas, bet ne vairāk kā par 4,0 % salīdzinājumā ar šo cenrādi. Jebkurā gadījumā cena nedrīkst būt augstāka par reģistrācijas dienā spēkā esošo ieteicamo mazumtirdzniecības cenu. Piemēra kalkulāciju sastādīja Swedbank Līzings SIA. Ja nepieciešams, konsultējieties ar bankas darbinieku. Piedāvājums no Toyota Līzings: 2.49 % + 6 mēnešu EURIBOR likme juridiskām personām (Piemēram, cena EUR 19 250, pirmā iemaksa: 15 %, periods: 60 mēneši, atlikusī vērtība: 30%, nobraukums 100 000 km, komisija: 1,5 %.) Ikmēneša maksājums šajā gadījumā ir EUR 199,84. Piedāvājums ir indikatīvs un var mainīties pēc pieteikuma izvērtēšanas. 10 gadu hibrīda akumulatora garantija attiecas uz visiem jauniem Toyota hibrīdiem. Konkrēti nosacījumi pieejami toyota.lv Degvielas patēriņa vērtības ir mērītas kontrolētā vidē, izmantojot reprezentatīvu sērijveida modeli, saskaņā ar jaunās pasaules mēroga saskaņotās vieglo transportlīdzekļu testa procedūras (WLTP) Eiropas Regulu EK 2017/1151 ar grozījumiem. Plašāku informāciju par jauno WLTP testa procedūru skatiet vietnē <https://www.toyota.lv/world-oftoyota/feel/environment/worldwide-harmonized-light.json>